

ACAV Food Safety Program Template

Template Overview and Instructions for Use

Version 5.0 July 2018

Terms & Conditions of Use

The purpose of this Food Safety Program Template is to assist members of the Australian Childcare Alliance Victoria (ACAV) to develop and implement their own food safety programs. This document is a template only and individual organisations must exercise their own skills, care and judgment with respect to use of the template.

The Australian Childcare Alliance Victoria and Infocus Food Safety disclaim any liability for any loss or injury directly or indirectly sustained by any person as a result of reliance upon this template. This template has been developed to comply with food safety legislation applicable to Child Care Centres operating in Victoria, however it is not possible for the template to meet the legislative requirement of identifying and controlling all food safety hazards applicable to a specific child care centre / food premises. While care has been taken in producing this template, users of this template must adapt it to their centre and food service operations and ensure that all potential food safety hazards are identified and controlled.

The ACAV Food Safety Program Template has been developed by Infocus Food Safety on behalf of the Australian Childcare Alliance Victoria for use in Victorian child care facilities.

Developer's contact details:

Infocus Food Safety 119 York Street South Melbourne VIC 3205

Tel: 1300 818 408

http://www.infocusfood.com.au
Contact: Melinda Chapman
Email: melinda@infocusmg.com.au

©Infocus Food Safety 2018

Copyright of the ACAV Food Safety Program Template is owned by Infocus Food Safety and is protected by copyright laws and international copyright treaties. The material contained within the ACAV Food Safety Program Template may be viewed and reproduced by the centre purchasing this document for the purpose of developing their organisation's Food Safety Program and providing a hardcopy to the municipal or regulatory authorities. Except for this purpose and to the extent otherwise permitted by Copyright Act 1968 (Cth), this document or any part of its contents must not be distributed, on-forwarded, resold, loaned, rented or transmitted to any other persons, businesses or companies (including parent or partner organisations) without the prior written consent of Infocus Management Group Pty Ltd.

The commercial use of any materials contained in the ACAV Food Safety Program Template by consultants, advisors or trainers is strictly prohibited.

Compliance with Food Safety Legislation

The ACAV Food Safety Program template has been developed for use by Victorian child care centres and is based on the food safety program requirements of the Food Act 1984 (Victorian Food Act), and the national mandatory Food Safety Standards 3.1.1, 3.2.2 & 3.2.3. These provisions require that you, as the owner or proprietor of the centre, develop and implement a Food Safety Program. The Food Safety Program must include:

- The systematic identification of potential food safety hazards within the business;
- Where and how each of these hazards is to be controlled:
- The systematic supervision and monitoring of the controls;
- How any hazard found not to be under control will be controlled; and
- The keeping of appropriate records to facilitate auditing of the Food Safety Program.

The Food Safety Management Tables and Food Process Procedures within this template address these requirements but it is important that proprietors ensure all potential food safety hazards within their centre have been identified. Any new or extra hazards that are not identified or included in this template will need to be documented in the centre's Food Safety Program by adding sections where appropriate. Where new hazards have been identified, corresponding control measures, monitoring and corrective action procedures will also need to be included.

For example, if, due to restricted space your centre has a practice of placing trolleys of food next to kitchen sinks prior to meal times, you will need to add an extra control measure / procedure to ensure that dirty dishes are not spray washed / cleaned while a food trolley is positioned near the sink. Any additional procedures can be typed up and placed into the relevant section of the Food Safety Program under a heading of: "Additional Procedures to Keep Food Safe"

The Support Programs in this template are consistent with the mandatory Food Safety standards: Food Safety Standard 3.2.2 Food Safety Standards and General Requirements and; 3.2.3 Food Premises and Equipment of the Australia New Zealand Food Standards Code. The Support Programs include procedures for cleaning and sanitation,

equipment maintenance, pest control, thermometer calibration and training of food handlers and supervisors.

Victorian legislation also requires your centre's Food Safety Program be audited by a Department of Health approved auditor within 6 months of registering your food premises. The legislation requires the regular review of your Food Safety Program (FSP) and that ongoing third party audits be conducted by Victorian Department of Health approved auditors at the frequency determined by your municipal council.

A copy of your Food Safety Program must be retained onsite at all times and be readily available to food handling staff, auditors and environmental health officers.

A Food Hygiene Standard is also included in this template for adoption by your centre. This Standard outlines the food safety and hygiene requirements of all food handlers, consistent with Food Safety Standard 3.2.2. It is recommended this Standard be incorporated into Food Handler induction and refresher training.

For further information on food safety legislative requirements, check with your municipal council or contact the Department of Health: www.health.vic.gov.au/foodsafety

To ensure compliance with the food safety legislation, it is critical that you tailor this template to the food service operations undertaken by your centre, ensure food handling staff are familiar with and follow the program and its recordkeeping requirements and that the program is reviewed regularly.

Overview of the Child Care Food Safety Program Template

Considerations

A copy of your Food Safety Program (FSP) must be retained onsite at all times and be readily available to food handling staff, auditors and environmental health officers. This may be provided either through electronic access to your Food Safety Program online, a saved copy on your computer, or you may wish to print a copy of the entire Food Safety Program and keep it in your office or kitchen. This is a good idea so that staff can have access to the procedures in the kitchen. If you print a copy of your Food Safety Program, the following Folder Divider/Tab Labels are suggested to keep everything in order:

Suggested Folder Tab Labels:

- Contents
- Centre Details
- Food Safety Policy
- Food Process Steps
- Food Safety Management Tables
- Food Process Procedures
- Support Programs
- Records
- Appendices
- Unused Sections

Note: The 'unused sections' label suggestion is included for retaining the physical pages that you have removed from the FSP Template as part of the tailoring process. It is recommended you keep these sections in case you later alter food processes and require this documentation.

The Online Child Care FSP Template consists of the following electronic documents:

- FSP Template Overview and Instructions for Use
- Food Safety Program (Centre Details, Procedures & Support Programs)
- Records
- FSP Editable Sections (Word format)
- Appendices Documents (Food Safety Glossary, Department of Health Contact Details, Allergen and Anaphylaxis Resources)

You will need to add the following documents to the appendices section from your Childcare Centre:

Appendices extras:

- Current Centre Menu Plan
- Food Safety Qualifications / Certificates
- Food Premises Licensing Documentation

Table of Contents

FOOD SAFETY PROGRAM

Introduction

PART 1 CENTRE DETAILS

- 1.1 Centre Contact Details
- 1.2 Description of Food Services Provided

PART 2 FOOD SAFETY POLICY

Centre Food Safety Policy

PART 3 FOOD PROCESS STEPS

<u>Food Process Steps Table</u> <u>Food Process Flow Diagram</u>

PART 4 FOOD SAFETY MANAGEMENT TABLES

- PRT Purchase & Receipt
- DST <u>Dry Storage</u>
- CST Cold Storage
- FST Frozen Storage
- TT Thawing Food
- PT <u>Preparation of Food</u>
- PTE Preparation of Food Eggs
- CKT Cooking Food
- TMT <u>Texture Modification</u>
- HHT Hot Holding Food
- CT Cooling Food
- RT Reheating Food
- PLT Plating Food
- ST Serving Food
- ETT External Transport of Food (Excursions / Day Trips)
- IMT Infant Milk (Formula & Expressed Breast Milk)

PART 5 FOOD PROCESS PROCEDURES

- PRP Purchase & Receipt
- DSP Dry Storage
- **CSP** Cold Storage
- FSP <u>Frozen Storage</u>
- TP <u>Thawing Food</u>
- PP Preparation of Food
- PPE Preparation of Food Eggs
- CKP Cooking Food
- TMP Texture Modification
- HHP Hot Holding Food
- CP Cooling Food
- RP Reheating Food
- PLP <u>Plating Food</u>
- SP Serving Food
- ETP External Transport of Food (Excursions / Day Trips)
- IMP Infant Milk (Formula & Expressed Breast Milk)

This page to be edited by Centreusing Editable Files

Food Safety Program

PART 6 SUPPORT PROGRAMS

- 6.1 Approved Supplier Food Supply Specifications
- 6.2 Hygiene & Health of Food Handlers
- 6.3 Skills & Knowledge of Food Handlers
- 6.4 Allergen Management and Special Dietary Needs
- 6.5 Cleaning & Sanitation Program
- 6.6 Kitchen & Equipment Maintenance
- 6.7 Pest Control
- 6.8 Garbage & Waste Control
- 6.9 Use of Probe Thermometers
- 6.10 Calibration of Thermometers
- 6.11 Food Recall
- 6.12 Food Safety Complaints
- 6.13 Menu Design
- 6.14 <u>Verification & Review of Program</u>

PART 7 RECORDS / LOGSHEET PROFORMAS

Food Supply & Daily Logsheets

- APS Approved Suppliers List
- PRR Incoming Goods Log
- IMR Infant Milk Receipt Log
- DRS Daily Record Sheet
- HHR Hot Holding Temperature Log
- **CSR** Cold Storage Temperature Log
- FSR Frozen Storage Temperature Log
- ETR Day Trip Record

Cleaning Records

Daily Cleaning Schedule Weekly Cleaning Schedule Deep Cleaning Schedule

Equipment Maintenance

Equipment Maintenance Schedule
Equipment Repair Record
Kitchen & Equipment Maintenance Report
Probe Thermometer Calibration Record

Food Handler Records

Food Handler Illness/Condition Record Food Handler Training Record

Internal Audit and Other Report Forms

Internal Audit Report
Corrective Action Report
Food Recall Action Report
Food Complaint Report
Pest Sighting Report Form

This page to be edited by Centreusing Editable Files

Program Review & Revisions

Verification and Review Schedule Food Safety Program Revisions Record


APPENDIX ITEMS

- 1. Food Safety Glossary
- 2. Department of Health Contact Details
- 3. Allergen and Anaphylaxis Resources
- 4. Current Centre Menu Plan
- 5. Food Safety Qualifications / Certificates
- 6. Food Premises Licensing Documentation

This page to be edited by Centreusing Editable Files

UNUSED SECTIONS

Food Process Flow Diagram (Sample A)



PRT - Purchase & Receipt

Process step	Hazards What could go wrong?	Control Measures What to do to prevent things going wrong	Monitoring of Controls Checking that everything is right	Corrective Actions What to do when things go wrong
Purchase & Receipt	 Microbiological contamination (eg bacteria, fungi, moulds etc) if poor food & personal hygiene practiced by supplier; if packaging damaged; if raw food transported with ready-to-eat (RTE) food Growth of pathogens (harmful microorganisms) if temperature control not maintained; if food is past use by date; Chemical contamination if foods stored near chemicals during transport Physical contamination from foreign objects (eg dirt, glass, stones, insects and other pests) if packaging damaged and/or food is uncovered 	 Purchase food from reputable and Approved Suppliers & maintain the Approved Supplier List Food Delivered by Suppliers: Food suppliers sign contract or Food Supply Specification Food to be delivered in good condition, with packaging intact; be correctly labelled, and be within the product use-by or best before date Cold food to be delivered at 5°C or less; Hot food to be delivered at 60°C or above Frozen food to be hard frozen Place potentially hazardous foods in their correct storage temperature without delay and within 30 minutes Food transported by staff If there is to be more than a 15 minute delay in returning to the centre, store & transport potentially hazardous foods in a clean esky/chiller containing ice or freezer bricks 	 During internal audits, check all food has been purchased only from those listed on the Approved Supplier List Check temperature of a representative sample of potentially hazardous food at every delivery and record on Incoming Goods Log Check packaging and use by dates of foods and document on the Incoming Goods Log Conduct random checks of delivery vehicles to ensure vehicle is clean, not harboring pests & not carrying potential contaminants For foods purchased from local retailers carefully check packaging, condition, use-by-dates and temperature of foods at the point of purchase and record on Incoming Goods Log Check purchase & receipt controls are followed, and that potentially hazardous food is moved into correct storage within 30 minutes of receipt during Internal Audits and record on Internal Audit Report 	 Refuse delivery of foods not meeting with specifications. Notify supplier and request replacement. Change supplier if food repeatedly delivered outside the standards agreed to in contract or Food Supply Specification Discard potentially hazardous food that has been out of temperature control for more than 4 hours Discard or return food if evidence or likelihood of contamination Retrain staff if evidence of poor hygiene practices

Food Safety Program

Allergens e.g foods containing allergens provided by supplier to replace out-of-stock allergen free meals/ ingredients Food to be provide free: Food to be correct Allergen-free food against order	delivery and check that any allergen free foods have allergen-free foods have been replaced allergen free items
--	---

TT - Thawing Food

Process step	Hazards What could go wrong?	Control Measures What to do to prevent things going wrong	Monitoring of Controls Checking that everything is right	Corrective Actions What to do when things go wrong
Thaw	Microbiological – Raw or thawing food may drip juices onto ready to eat food and contaminate it (cross contamination) Thawing food can be contaminated by microorganisms if uncovered Centre of food item may still be frozen and not cook properly, allowing bacteria to survive Growth of pathogens if temperature /temperature abuse (eg if thawed in sink where thawed sections may be above 5°C for 4 hours or more) Physical contamination if thawing food uncovered / unprotected	 Transfer potentially hazardous frozen foods (that need to be thawed before cooking or consumption) to a refrigerator Keep potentially hazardous thawing / thawed food at 5°C or below until required Cook / use thawed food within 2 days of commencement of thawing Completely seal / contain all thawing food Store all thawing food separately and below ready to eat food If thawing in microwave, use or cook food immediately after thawing Never refreeze potentially hazardous thawed foods Practice good personal hygiene 	 Check that potentially hazardous food to be cooked is fully thawed prior to cooking Check that all thawing food is protected / covered and is thawed in a refrigerator which is temperature monitored Label thawing foods with the date and time of removal from the freezer and check thawed food is used within 2 days During internal audits, check that thawing control measures are adhered to and record on the Internal Audit Report 	 If food is not fully thawed allow further time to complete thawing or use microwave and immediately follow with cooking step Discard potentially hazardous foods that have been thawed incorrectly or if evidence or likelihood of contamination Discard food that has been thawed in the refrigerator but not cooked or served within 48 hours Discard food if evidence or likelihood of contamination Discard high risk food that has been out of temperature control for 4 hours or longer Retrain staff if evidence of poor hygiene practices
	Allergen contamination: Foods containing allergens	Food to be provided as Allergen free: Allergen free (e.g. gluten free) food is stored separately to	Conduct a daily visual check of thawing food to ensure all allergen- free food is correctly stored and	Discard food if evidence or likelihood of contamination

Food Safety Program

stored alongside / with 'allergen free' foods that are thawing foods containing the while thawing. (No must still be thawed ready-to-eat foods thawing allergen-free not stored underned containing the alles separate). • Allergen free foods covered, sealed or with lids & clearly located the containing the separate.	 During internal audits, check allergen management control measures are adhered to and record on the Internal Audit Report En securely containers During internal audits, check allergen management control measures are adhered to and record on the Internal Audit Report Report any non-conformances the Food Services Supervisor Complete a Corrective Action Report if further corrective action required
--	---

CSP - Cold Storage

All potentially hazardous food that is to be stored cold must be maintained at 5°C or less to prevent the growth of food poisoning bacteria. Food must be correctly stored to prevent cross contamination from raw to ready-to-eat foods.

Procedure

- 1. Store all high-risk ingredients, prepared/processed foods and plated/packaged meals in appropriate refrigeration units operating at 5°C or less;
- 2. Measure the air temperature of kitchen cold storage units at beginning and end of day and record on Coolroom / Refrigerator Temperature Log. (Ideal fridge temp: 3°C). If above 5°C refer to Corrective Action Steps below;
- 3. Measure the core temperature of food held in cold storage in the kitchen at beginning and end of day and record on Coolroom / Refrigerator Temperature Log (food temp)

OR

Keep a probe thermometer in a container of water kept permanently in the storage unit and measure this twice daily and record on **Coolroom / Refrigerator Temperature Log** (food temp).

- **4.** If food temp above 5°C, refer to Corrective Action Steps below;
- **5.** Ensure centre staff check the air temperature of wing or other fridges outside the kitchen area (that may store food for children) at the beginning and end of each day and record temperatures on the **Coolroom / Refrigerator Temperature Log.** If above 5°C to Corrective Action Steps below;
- 6. Do not overstock refrigeration units and ensure there is adequate air circulation around food:
- 7. Always ensure that raw foods, particularly meat, poultry and seafood, are stored on separate shelves below cooked or ready to eat foods to avoid cross contamination. Also make sure that unwashed foods such as vegetables and salads are stored on separate shelves beneath cooked, washed and ready-to-eat foods;
- **8.** Always ensure that foods prepared or processed by the centre are labelled during storage with the date of production, and intended date of use (within 2 days).
- **9.** Label all packaged food with date opened (or use by date). Use within 2 days of opening, unless otherwise advised by manufacturer.
- **10.** All ready to eat food must be covered to prevent cross contamination, contamination with physical hazards and tainting with odours.
- 11. Clean all cold storage areas thoroughly and regularly according to the *Cleaning & Sanitising Procedures*. This includes the floors, walls ceilings, doors, shelves, trolleys, and any other fittings;

Corrective Actions

- Check food in the refrigerators daily to ensure that no ingredients are past their use-by-dates;
- In case of faulty refrigeration units, make immediate arrangements to repair or replace refrigeration unit, move food to alternate unit and document on an Equipment Repair Record
- If food temperature is above 5°C, lower the thermostat and re-check within 30 minutes.

Food Safety Program

- If high risk food* is above 5°C for 2 hour, but less than 4 hours, use immediately or discard. If in doubt, throw it out
- If high risk food is above 5°C for 4 hours or longer, discard
- Discard food that is past its use-by date
- Discard food if evidence or likelihood of contamination
- Complete a Corrective Action Report if further corrective action required

Special Procedures for Power Failure or Faulty Cold Storage Unit

- Start documenting your actions using a **Corrective Action Report.** Document all details of the power failure and corrective actions taken, including time power failure began (or was discovered), and time reported to Manager/Supervisor.
- Immediately check <u>food</u> core temperature using a clean and sanitised probe thermometer. If food is below 5°C, limit your use of the refrigerator to conserve cool air. If possible (where only one unit is affected) transfer food to alternate cold storage unit/s. Ensure that any other refrigeration units outside the main kitchen are checked, also.
- Check core temperature at hourly intervals. Document the time food enters the danger zone (i.e. greater than 5°C). If high risk food is above 5°C for more than 2 hours, you must use the food immediately or discard. If above 5°C for 4 hours or more, you must discard all high risk food. Ensure all actions are documented on the **Corrective Action Report**.
- If you do not know how long food has been in the Danger Zone (above 5°C), <u>discard</u> high risk food products. **Remember**, if in doubt throw it out.
- If unit is faulty, notify Maintenance and document on the **Equipment Repair Record**. Rectify power failure where possible. Check fuses. If power failure is an external problem notify your local power company and determine how long you can expect to wait until power is reconnected.
- Ensure that you have documented all actions (including time and temperature checks, time reported to Manager etc.) on a Corrective Action Report detailing your response to the power failure, and keep on file.
- Complete Corrective Action Report detailing all food that has been discarded due to the
 power failure, as evidence that it has not been served to children (including how much e.g.
 5kg, 1kg etc.)
- Where high risk food is discarded, organise an alternative meal for children, where necessary.
 For example, using low risk items such as tinned soup from dry storage, baked beans on toast, and long-life milk for drinks.
- If high risk deliveries are expected, notify supplier and cancel deliveries where possible. If deliveries are accepted, document the time received and the time food eaten (within 4 hours of receipt). Otherwise, discard food and document on Corrective Action Report.

Records

- CSR Coolroom / Refrigerator Temperature Log
- Equipment Repair Record
- Corrective Action Report

*What are High Risk Foods?

High Risk Foods	Examples
Milk & milk products Egg products Meat & poultry Smallgoods Processed meats products Fish & shellfish Other foods	Butter, cream, custards, cheese, yoghurt Quiche, fresh pasta, boiled eggs All meats, poultry and game Ham, bacon, chicken loaf Casseroles, patties, stews, soups, and stocks Sauces, soups, stocks, and salads pizzas, sandwiches, rice dishes, any prepared fruit and salad items (i.e. peeled or sliced)

6.3 Skills & Knowledge of Food Handlers

Food Handlers

The proprietor will ensure that all food handlers have skills and knowledge in food safety and food handling for the work they do.

The **Food Handler Training Record** will be maintained including a complete and current listing of food handlers, details of their completed food hygiene training and training session dates.

The main strategies to ensure food handlers have the adequate food handling skills and knowledge include:

- All Food Handlers undergo basic food hygiene training (in-house or outsourced);
- All Food Handlers undergo annual food hygiene refresher training (inhouse or outsourced); and
- On commencement of employment, all new food handlers will be provided with a copy of the Food Hygiene Standard.

Food Safety Supervisor

Nominated Food Safety Supervisors:

- know how to recognise, prevent and alleviate hazards
- have the ability & authority to supervise others in the safe handling of food;
 and
- have met an appropriate food safety competency standard.

A minimum of one Food Safety Supervisor must be nominated and their details given to Council by law.

The nominated Food Safety Supervisor must achieve and have available for presentation a Statement of Attainment (Certificate) issued by a Registered Training Organisation for the regulated competencies for food safety supervisors working in child care centres (as determined by the Department of Health).

The name of our nominated Food Safety Supervisor is listed in section 1.1 Centre Details.

If the FSS is changed for any reason, management will notify Council within 14 days, giving the name and credentials of the new FSS.

6.10 Calibration of Thermometers

Thermometers used to measure food temperatures and air temperatures must be calibrated regularly to ensure their accuracy. A calibration check of hand held probe thermometers is conducted at least every 6-months (or as per manufacturer's instructions) using both the Ice Point and Boiling Point methods and the results recorded.

Procedure

Probe Thermometers

Ice Point Method (for checking hand held probe thermometers)

- Fill a small container with crushed ice. Add a little water to the container to make ice slurry;
- 2. Place the thermometer in the centre of the container so that the point of the probe is in contact with the ice and allow the temperature to stabilise;
- 3. Check the reading is within one degree of 0°C. If temperature readings are out by more than ±1°C, adjust the thermometer to 0°C if possible. Otherwise, the thermometer will require battery replacement, repair or full replacement.
- 4. Record results on the Thermometer Calibration Record.

Boiling Point Method (for checking hand held probe thermometers)

- 5. Bring a container of water to the boil;
- 6. Immerse the thermometer into the water and allow to stabilise;
- 7. Check the reading is within one degree of 100°C. If temperature readings are out by more than ±1°C, adjust the thermometer to 100°C if possible. Otherwise, the thermometer will require battery replacement, repair or full replacement;
- 8. Record the results on the Thermometer Calibration Record.

<u>Fixed Thermometers</u> (eg Coolroom, Freezer etc.)

- 1. Calibrate fixed thermometers against a calibrated probe thermometer, left in the unit for sufficient time for the thermometer to stabilise (when there are no differences between two readings taken 1 minute apart) and checked against the fixed thermometer.
- 2. Alternatively, schedule a suitable and approved contractor to calibrate fixed thermometers.
- 3. Record the results on the Thermometer Calibration Record

Calibration or other thermometers and equipment

Other thermometers (and equipment) requiring calibration will be calibrated as per supplier or manufacturer's directions and at the frequency recommended by the manufacturer and records of calibration maintained on file.

Records

Thermometer Calibration Record

IMR - Infant Milk Receipt Log

				Number delivere		Clearly	Time placed	
Date	Time	Name of child	me of child Prepared Pre-measured Frozen/chilled formula powder expressed breast milk Prepared formula powder expressed breast milk		labelled and sealed?	Time placed in fridge /freezer	Initials	

Daily Cleaning Schedule

Initial each day as cleaning occurs.

Fortnight beginning:

This page to be edited by Centreusing Editable Files

Enter the day/month date (e.g.															
Item to be Cleaned	Who (position)	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Mon	Tue	Wed	Thu	Fri	Sat	Sun
Bain Marie															
Bamix															
Benches, splashbacks															
Bench Can Opener															
Cleaning Equipment															
Coolroom Floors															
Deep Fryer															
Dishwasher (Int & Ext)															
Floors															
Handbasins & Sinks															
Kitchen Bins															
Microwave Oven															
Oven															
Processors/Mixers															
Shelves (if spillage)															
Stovetop/Hotplates/Grill															
Toaster															
Trolleys															
Tables & Chairs															
Cutlery, crockery, utensils, containers, cutting boards, pots, bowls, trays, pans etc	Supervisor or Cook (sign at end of day)														
Supervisor's Check (a	t least weekly)														

Ensure you sanitise all items and surfaces which come in contact with food or drinks, or after spillage.

Equipment and Kitchen Maintenance Report

Assessor's Name:						D	ate:	
Item			Check				Com	ments
Floors	l <u>—</u>	p e intact ts/edges se	aled					
Walls	☐ Tiles int		eeling/chippi oken or missii aled	-				
Ceiling	☐ Paint in	ntact – no c	hipping or p	eeling present				
Lighting & Ventilation	☐ Light fi☐ Aircon☐ Canop	ttings intact ditioner/ ve by exhaust f		s, clean & worki ean & working	ing			
Ovens/Grills	☐ Racks	ntact and ir intact/no ru ken or miss		r				
Windows	Paint in	wire intact and in place int intact azing intact						
Doorways	☐ No chi	en intact (ii pped paint es/gaps						
Refrigerators & Freezers	☐ Doors (☐ Paint in☐ Shelvir	Doors close tightly/sealed Paint intact Shelving intact/ no rust						
Chopping Boards & Crockery	l <u>—</u>	n of deterioration ips or cracks						
Bulk Food Containers	□ No sigi □ Lids se	Lids intact with no chipped plastic No sign of fractured or stressed plastic Lids seal tightly						
Electrical Appliances	 □ Cords intact and in good repair □ All blades intact and in good repair □ No broken or missing pieces □ Check equipment is tagged 							
If kitchen or equ	uipment requ	uires repair,	document n	naintenance red	quest			
Manager or N	ominee's S	ignature					Date	

Food Safety Glossary

TERM	DEFINITION							
>	Greater than							
2	Equal to or greater than							
<	Less than							
<u> </u>	Equal to or less than							
'2 hour / 4 hour Rule'	As a general rule, ready-to-eat potentially hazardous food which has been kept between 5°C and 60°C: • for a total of less than 2 hours must be refrigerated or used immediately; • for a total of more than 2 hours, but less than 4 hours must be used immediately; • for a total of 4 hours or longer must be thrown out. These times are cumulative: each period in the Temperature Danger Zone (5°C – 60°C) has to be added up to reach a total time In child care facilities, stricter time controls may be applied as a best practice measure due to the vulnerability of children							
Allergens	Food allergens are typically naturally-occurring proteins in foods or derivatives of them that cause abnormal immune responses. The key food allergens are: peanuts; tree nuts; soy; milk, egg; cereals; seafood; fish; and sesame. (www.allergenbureau.net)							
CA	See Corrective Action							
Control measure	Any action and activity that can be used to prevent or eliminate a food safety hazard or reduce it to an acceptable level.							
Cook Chill Meals with Short Life	Perishable foods that have undergone a mild heat or pasteurisation process (at least 70°C for 2 mins or 75°C instant) and which, to extend the time during which they remain wholesome (usually maximum 5 days), are blast chilled and kept in the temperature range of 0 – 5° C (\leq 3°C if storing for 3-5 days). Typically, these foods are cooked, blast chilled and stored in covered gastronome trays and are reheated /regenerated before consumption.							
Corrective action	Any action to be taken when the results of monitoring indicate a loss of control.							
Core temperature	The temperature measured in the part of the food which heats more slowly or cools less quickly (usually the centre of the food, or the breast in chicken).							
Cross contamination	Contamination from one food, surface or utensil to another, e.g. juices of raw chicken onto a knife which is then used to chop lettuce for salad; or knife used to spread peanut butter used to cut a cheese sandwich (allergen issue).							
Danger Zone	See Temperature Danger Zone: (5°C – 60°C)							
DHHS	Department of Health and Human Services							
FSP	See Food Safety Program							
Foodborne Illness	Illness from consuming food which contains pathogenic microorganisms, harmful chemicals or other foreign substances.							
Food Handler	A Food Handler is <i>anyone</i> who handles food or food contact surfaces, including staff who receive, store, prepare, process, package, serve and deliver food.							
Food Standards Code	The principal piece of legislation for regulating food in Australia. The code provides standards for the labelling and composition of food products, food additives, contaminants and residues, microbiological and processing requirements and standards governing the safe production for foods.							
Food Safety Standards	Standards contained in Chapter 3 of the FSANZ Food Standards Code							
FSANZ	"Food Standards Australia New Zealand" is the authority that develops and coordinates Food Safety legislation (formerly known as ANZFA – Australia New Zealand Food Authority)							

Food Safety Glossary

HACCP	Codex Alimentarius Hazard Analysis and Critical Control Point (HACCP) system which identifies, evaluates, and controls hazards which are
	significant for food safety.
Hazard	A biological, chemical or physical agent in, or condition of, food with the potential to cause an adverse health effect.
High risk food	See Potentially Hazardous Foods (PHF).
Microbes; Microorganisms	Any living organism that can survive as a single cell. This includes bacteria, viruses, yeasts and moulds.
Monitoring procedures	A procedure of scheduled checking and recording of food safety activities by staff.
NATA	The National Association of Testing Authorities (NATA) is Australia's national laboratory accreditation authority. NATA accreditation recognises and promotes facilities competent in specific types of testing, measurement, inspection and calibration
Pasteurised egg products	Egg products that have been heat treated for a short time to destroy pathogenic organisms
Pathogen	Any microorganism that is able to cause disease in humans.
Potentially Hazardous Food (PHF)	Any food that must be temperature controlled (generally below 5°C or above 60°C) to prevent the growth of microorganisms or the formation of toxins. Potentially hazardous foods include dairy products, meats, poultry, fish, shellfish, ready-to-eat prepared fruit, vegetables, sprouts, cooked grain products (eg rice), and any food made up of these foods.
Ready to eat food (RTE)	Food that is ready for consumption and will not undergo further processing.
Records	Documentation made and kept by the food business demonstrating monitoring of controls and action taken in relation to, or in compliance with, the Food Safety Program.
Refrigerated storage	Chilled storage of potentially hazardous foods at or below 5°C
Standard Operating Procedure (SOP)	Established method for staff to follow which ensure food and food processes remain safe.
Support Programs	Activities that provide an environment for the safe production and service of food. They are sometimes called Standard Operating Procedures (SOPs) or Good Catering Practices (GCP)
Temperature Danger Zone	5°C- 60°C Bacteria in PHF food can grow rapidly if held at a temperature of between 5°C and 60°C. Food poisoning bacteria grow at the fastest rate at around 40°C
Texture Modified Foods	Foods that have undergone texture modification such as pureeing, blending, mincing, or vitamising.
Toxins	Poisons produced by pathogens
Use-by Date	A Use-By date indicates the last date on which the food may be consumed safely.
Vulnerable population	Generally includes the young (aged 5 or below), elderly (70 or older), sick, pregnant and immuno-compromised, hospital patients, aged care recipients, and children in child care centres. Refer Food Safety Standard 3.3.1 for detailed definition applicable to this standard